# BOARD OF ARCHITECTURAL REVIEW AGENDA January 15, 2015 - 4:00 PM Council Chambers - Rouss City Hall

### 1. POINTS OF ORDER

- A. Roll Call
- B. Approval of Minutes December 18, 2014

### 2. CONSENT AGENDA

### 3. **NEW BUSINESS**

**15-001** Request of Theodora Hargraves for a Certificate of Appropriateness to replace windows at 216 South Cameron Street.

**15-005** Request of FFC Properties LLC for a Certificate of Appropriateness to replace windows at 716 South Washington Street.

### 4. OLD BUSINESS

**BAR-14-758** Request of John and Beth Elgin for a Certificate of Appropriateness to build a side porch addition at 446 North Braddock Street.

### 5. OTHER DISCUSSION

### 6. ADJOURN

\*\*\*APPLICANT OR REPRESENTATIVE MUST BE PRESENT AT THE MEETING\*\*\*

### BOARD OF ARCHITECTURAL REVIEW MINUTES

The Board of Architectural Review held its regularly scheduled meeting on Thursday, December 18, 2014, at 4:00p.m. in Council Chambers, Rouss City Hall, 15 North Cameron Street, Winchester, Virginia.

#### POINTS OF ORDER:

PRESENT: Chairman Rockwood, Vice Chairman Bandyke, Mr. Serafin

ABSENT: Mr. Walker, Ms. Jackson, Ms. Elgin

STAFF: Josh Crump, Carolyn Barrett

VISITORS: Adam Wilfong

### **APPROVAL OF MINUTES:**

Chairman Rockwood called for corrections or additions to the minutes of December 18, 2014. Hearing none, Chairman Rockwood called for a motion. Mr. Serafin moved to approve the minutes. Chairman Rockwood seconded the motion. Voice vote was taken and the motion passed 2-0-1. Vice Chairman Bandyke abstained.

#### **CONSENT AGENDA:**

None.

### **NEW BUSINESS:**

**BAR-14-751** Request of First United Methodist Church for a Certificate of Appropriateness to change the roof from asphalt shingles to a standing seam metal roof at 308 North Braddock Street.

Mr. Wilfong, Chairman of the Trustees of the First United Methodist Church, presented the outline of the roofing project. He stated that according to three contractors consulted, the semi-circular upper roof was too flat to use asphalt shingles and a metal roof was recommended. The lower section will be replaced later. The roof would be riveted and snow guards would be attached. The board members asked how the metal roofing would be installed. Mr. Wilfong described the method the contractor would be using. Mr. Bandyke asked if there was a balcony in the clerestory. Mr. Wilfong said that there is a combination of storage and classrooms underneath and the roof is leaking in that area necessitating the replacement.

Chairman Rockwood called for a motion. Mr. Bandyke made a motion to grant a Certificate of Appropriateness to **BAR-14-751** for First United Methodist Church to install a standing seam, charcoal colored, metal roof to the roof above the clerestory only. It will also have snow birds painted the same color and the hip and ridge are true standing seams, no caps.

Mr. Serafin seconded the motion. Voice vote was taken and the motion passed 3-0.

**BAR-14-758** Request of John and Beth Elgin for a Certificate of Appropriateness to build a side porch addition at 446 North Braddock Street.

Chairman Rockwood called for a motion. Mr. Bandyke made a motion to table the request until the January 15, 2015 meeting. Mr. Serafin seconded the motion. Voice vote was taken and the motion passed 3-0.

### **OLD BUSINESS:**

None

### **DISCUSSION:**

Mr. Crump said an e-mail had been sent out December 9, 2014 from the Old Town Development Board Design Committee regarding the proposed vestibule at the Union Jack Restaurant. The OTDB will be having a meeting on January 8, 2015 to discuss the issue. City staff and City Council want to get together with the OTDB to work out a policy regarding outdoor vestibules.

Mr. Bandyke asked about Aroma Deli putting up a railing on the front porch of the business. There are some planter boxes there instead. Mr. Bandyke asked if the City was liable if someone falls off the porch because the BAR did not push for the railing to be installed. Mr. Crump said he would look up the case file and talk to the Zoning Director and the City Attorney.

#### **ADJOURN:**

With no further business before the Board, the meeting was adjourned at 4:14pm.

CERTIFICATE #: BAR- 15-001
DATE SUBMITTED: 1/2/15



Rouss City Hall 15 North Cameron Street Winchester, VA 22601 Telephone: (540) 667-1815 FAX: (540) 722-3618 TDD: (540) 722-0782 Web: www.winchesterva.gov

## APPLICATION BOARD OF ARCHITECTURAL REVIEW CERTIFICATE OF APPROPRIATENESS

CERTIFICATE OF APPROPRIATENESS					
Please print or type all information	n:	Theodora Hargraves  Applicant  216 S. Cameron St  Street Address  Winchester VA 22601			
540-533-9 Telephone RPHarg @ Core Femail address	151	216 S. Cameron St			
Telephone	,	Street Address			
_ RPHang @ COM	1cast net	Winchester VA 23601			
√E-mail addre	55	City / State / Zip			
Property Owner's S  540-533  Telephone  RPHarg O C  E-mail addre	Desgraves grature 2-4151 comcast: net	Property Owner (Name as appears in Land Records)  216 S. Cameron St.  Street Address  Winchester, VA 2260 /  City / State / Zip			
PROPERTY LOCATION  Current Street Address(es) 2/2  Zoning: RBI (HW) Year Cons		St. Use: Residence  Historic Plaque? Y( ) N( X Number:			
TYPE OF REQUEST					
Demolition	☐ Sign (specify type) and #	☐ Exterior Change			
☐ New Construction	☐ Freestanding	☐ Siding			
Addition	□ Wall	□ Roofing			
□ Fence/Wall	☐ Projecting	V Windows/Doors			
CONCEPTUAL REVIEW ONLY	Other sign (specify)	☐ Paint			
☐ Other (specify)					
***SEE REVE	RSE FOR MATERIALS TO	INCLUDE WITH APPLICATION***			
FOR OFFICE USE ONLY	***************************************				
BAR Review OR Admini	strative Review per Section 14-5				
Hearing Date(s) 1/15/15					
CERTIFICATE OF APPROPRIATENESS:	APPROVED DISAPP	PROVED TABLED WITHDRAWN			
CONDITIONS NOTED:					
SIGNATURE:		DATE:			
Secretary,	Board of Architectural Review				

Board of Architectural Review – Application Property Owners: Rodger & Theodora Hargraves Property at: 216 South Cameron St., Winchester

Review of application for replacement of existing windows in 2 story brick portion of home. It is the objective of the above owners to replace the original windows in the home with modern energy efficient windows. Replacement is based on condition of original windows and emergency egress concerns. Current windows are in poor condition with loose joints and rotting sills. Water migration is affecting interior plaster and wood trim. In addition windows do not stay open without being supported with a brace. We plan on replacing windows with a quality replacement; wood interior and exterior, dual pane window which will resemble the existing windows with an applied muntin replicating the current 2 over 2 configuration (Pella Architectural Series is being considered if approved). Replacement windows will also allow for the removal of current storm windows which detract from the appearance of the home. Window replacement will be for the 9 original windows on 3 sides of the structure (4<sup>th</sup> has no windows), but does not include the large picture window that was added to the front facade (after a truck partially destroyed front wall) prior to purchase by current owners. Windows will be painted off-white when installed.

Over the past 35 years several repairs have been made to prolong the life of the current windows including sill replacement (one window), wood bonding and filler on weak rotting sills and metal flashing to cover sills. These are no longer providing adequate protection and water is migrating into the surrounding old brick and mortar causing further structural issues. The 1890s construction on this home is 2 courses of brick with plaster directly against the brick.

### Hargraves House 216 South Cameron St

Exterior View



# Hargraves House 216 South Cameron St

Interior Water Damage (long term effects)





### ARCHITECTURAL INVENTORY

Address: 216 . ameron : Present Use:
Map & Parcel: 193 (1) Assessed Value: 27
Present Owner: Keith Jenking, Original Owner: Address: Original Use:
Date: 17_ 80 90 1800 10 20 30 40 50 60 70 80 90 1900 19
Stories: B 1 1½ 2 2½ 3 3½ 4  Material: Stone Log Clapbrd. Wd.Fr. Brk. Plas. Foundation  Modifications: Minor Moderate Extensive
Physical Condition: Standard Deteriorated Dilapidated
Environmental Context: Strong Moderate Weak
Architectural Significance: Outstanding Excellent Good Average None Architectural Description
The facade of this 2 story house has been altered to make it quite awkward looking. The picture window and doorway with separate "transom" light are inappropriate to the scale and period of the other features. The 3 bays of the second story windows have 2 over 2 lights. There are carved cornice brackets, a tin A-roof, and a left end chimney.
Historical Significance: National State/Regional Local None Historical Description
A car rammed into the lower level of this house a number

A car rammed into the lower level of this house a number of years ago and the present picture window and door arrangement were created when the house was repaired following the accident.

References:





### 216 South Cameron Street

Tax Map Number:193-1-Q-3A-

DHR Resource Number: 138-0042-0256


Resources: 1 single dwelling Date/Period: ca. 1880

Sources: Sanborn Fire Insurance Company Maps; Quarles, The Story of

One Hundred Old Homes

Style: Italianate

### **Architectural Description**



Secondary Resource Summary: There are no visible secondary resources associated with this property.

Primary Resource Description: This two-story, two-bay single dwelling has a rectangular form and is set on a solid stone foundation that has been painted. The dwelling, reflecting elements of the Italianate style, is laid in six-course, American-bond brick and has a side entry. A brick chimney rises through the center of the building, piercing the side-gabled roof of standing-seam metal at the ridge. The roof is finished with overhanging eaves, a raking cornice, and a scrolled modillion cornice. A brick stoop is located in front of the main entry on the southwest corner. The window openings on the second story of the façade contain 2/2, double-hung, wood-sash with ogee-molded wood surrounds, wood sills and brick jack arches. The northernmost bay of the first story contains a fixed, one-light picture window flanked by 1/1, double-hung, wood-sash windows. These windows have ogee-molded wood surrounds and a rowlock brick sill. A single-leaf, paneled wood door is located in the southernmost bay and is protected by a metal-frame glass storm door. The door has a stained glass transom window, which is most likely not original. The transom has a brick jack arch. The north side elevation is fenestrated with 2/2, double-hung, wood-sash windows with ogee-molded wood surrounds, wood sills and brick jack arches. The upper gable end of the south side elevation contains a louvered wood vent with a wood sill.

A one-story, full-width addition is located on the rear (east) elevation and is clad with vinyl siding. The front-gabled roof is covered with standing-seam metal and features overhanging eaves. The north side elevation is fenestrated with a 1/1, double-hung, vinyl-sash window. The foundation was not visible from the public right-of-way. A one-story addition is located on the rear (east) elevation of the first addition and is set on a solid concrete foundation. The addition is clad with vinyl siding and is covered by a front-gabled roof of standing-seam metal. A one-story, shed-roofed addition is located on the rear of the first addition and is clad with wood weatherboard siding. This addition was not visible from the public right-of-way. These additions are noted on the Sanborn Fire Insurance Map in 1885, the first year that Winchester was mapped.

Significance Statement: This single dwelling is indicative of the domestic architecture constructed in the City of Winchester during the late nineteenth century. Walter Kidney, a local historian, records in his book (Winchester: Limestone, Sycamores and Architecture) that the building dates from circa 1880; and the Sanborn Fire Insurance maps document this building on this property to 1885, the first year that Winchester was mapped. The single dwelling, reflecting elements of the Italianate style, retains sufficient integrity of the main block despite modest additions to the rear of the dwelling. Therefore, this single dwelling qualifies under Criteria A and C as a contributing resource to the Winchester Historic District.



CERTIFICATE #: BAR- 15-005
DATE SUBMITTED: 15/15



WINCHAOL PROJECT OF WINCHA

Rouss City Hall 15 North Cameron Street Winchester, VA 22601 Telephone:

(540) 667-1815

FAX:

(540) 722-3618

TDD: (540) 722-0782 Web: www.winchesterva.gov

## APPLICATION BOARD OF ARCHITECTURAL REVIEW CERTIFICATE OF APPROPRIATENESS

T	CENTIFICATE OF AFF	NOTRIATENESS			
Please print or type all information:		FR Proporties, Il Mien Fauler			
G03)967-1161		17090 Applicant Creek Circle			
/ Nelephone		Street/Address			
Ditouler e ticorepeti	85. Com	Hamilton, VA 20158			
E-mail address	1	City / State / Zip			
	//				
Duy Ru	Ca	PPC Properties, Ul			
Property Owner's Sign	nature	Property Owner (Name as appears in Land Records)			
7030967-1161		17090 Qual God (irde			
1 Telephone	1-	Street Address			
Prouse + + proper	tios.com	Hamilton, VA 20158			
E-mail address		City / State / Zip			
Zoning: MR (HW) Year Constru TYPE OF REQUEST		Historic Plaque? Y( ) N( ) Number:			
☐ Demolition	☐ Sign (specify type) and #	X Exterior Change			
☐ New Construction	☐ Freestanding	☐ Siding			
☐ Addition	□Wall	□ Roofing			
☐ Fence/Wall	□ Projecting	XWindows/Doors			
CONCEPTUAL REVIEW ONLY	Other sign (specify)	□ Paint			
Other (specify)					
***SEE REVERSE FOR MATERIALS TO INCLUDE WITH APPLICATION***  FOR OFFICE USE ONLY  **BAR Review OR Administrative Review per Section 14-5  Hearing Date(s) 15/15  CERTIFICATE OF APPROPRIATENESS: APPROVED DISAPPROVED WITHDRAWN					
CONDITIONS NOTED:					
SIGNATURE:		DATE:			
Secretary, Board of Architectural Review					

### FFC PROPERTIES,LLC

17090 Quail Creek Circle Hamilton,VA 20158
Board of Architectural Review
Rouss City Hall
15 North Cameron St
Winchester,VA 22601

**RE: 716 SOUTH WASHINGTON ST** 

As owner of FFC Properties,LLC and owner of 716 South Washington Street I am submitting the necessary application and supporting documentation for your review to obtain approval to keep the existing replacement windows that were recently installed at the property above. I was recently made aware that this property is located in the Winchester historic district and therefore requires approval from your Board of Architectural Review before altering the "exterior architectural appearance" which includes window replacement. Had I known earlier that this property was located in the historic district I can assure you that I would have sought the Board's approval before purchasing and installing the windows. I am therefore seeking the approval of the Board to keep the existing windows currently installed in the home at 716 South Washington Street based on the following information.

To begin with, my company purchased the property, 716 South Washington Street, at a trustee foreclosure auction at the Winchester courthouse in May of 2014. The sale was conducted by Samuel I. White, P.C. the trustee for the foreclosing mortgage company. Because of the nature of these types of sales the trustee does not make any representations, warranties or disclosures of any type regarding the property, so whether the trustee knew it or not he did not disclose the historical significance of the property and as such I purchased the property "as is." In addition, the former owner was still occupying the property at the time of purchase and at no time during the eviction process did he or a neighbor or anyone from the city or sheriff's department inform me that the property was in a historical district. Additionally, there are no placards or plates at the property nor are there any codes or information in the city tax records that designate this property as being historical. I state all of this not to use as an excuse to gain the approval from the Board, but rather to explain to the Board the circumstances under which the property was purchased and to inform the Board that the installation of the existing windows was not done intentionally to circumvent the approval process.

In addition, when we finally obtained possession of the property several months after purchasing the property, we noticed that the windows throughout the house were in very poor condition, were not insulated in anyway and were unusable and therefore unsafe. Many would not either open or stay up when opened and a great deal of them had wood rot around the windows. There were also various types of windows throughout the house. The former owner had replaced a few of the original windows on the left side of the house with vinyl replacement windows, but the vast majority of windows were in badly need of replacing and were older wood framed windows. We knew that any prospective owner or occupant would want to replace them, so that they not only functioned properly, but also provided some type of insulation value. Based on the age of the home and the surrounding homes we did want to preserve the same architectural appearance. Therefore, we purchased the current windows in the home to not only match the replacement windows the former owner had installed years before we bought the home, but to also match other homes with similar style windows throughout the area.

Furthermore, I have attached copies of the invoices of the windows we purchased from Lowes as supporting documentation. The invoices contain all the details of the windows including prices, sizes, materials and dimensions. We chose these particular windows not only for their low maintenance and energy efficiency, but more importantly because they appeared to maintain the architectural character of the home and surrounding neighborhood. All of the windows are traditional in style and the majority due to their dimensions are 6/6 pane windows, which coincide with the time period of not only our home, but surrounding homes. I have included pictures of the property labeled 716 S Washington at all angles, so that the Board can view the windows and see that we have maintained the architectural character of the home. As further documentation I have included pictures of homes throughout the historic Winchester district that appear to have windows of similar style and material.

In summary, I am requesting approval from the Board to keep the existing windows installed at the property at 716 South Washington Street for several reasons. First of all, the windows installed conform to the architectural appearance of the time period of the home and surrounding homes throughout the historic district. Additionally, the current windows are a major improvement from the previous ones, they increase the value of the property, they save on energy consumption for any subsequent homeowner and they do not detract in any way from the home's appearance. Secondly, the pictures submitted show that the windows we installed at 716 South Washington Street match the windows of many other homes throughout the district. Therefore, since other homeowners in the district have windows of similar style and material then we should be allowed to keep ours as well. Lastly, I am requesting the Board's approval due to the fact that the windows have already been purchased and installed. Having to remove the current windows and install different ones would cause unnecessary and undo financial hardship, since we spent close to \$10k installing the current windows. We would not only lose that money invested into the home, but we would also have to spend an additional \$10k+ to install a different set of windows if the Board so chose.

Respectfully.

### Real Estate Assessment Search

### << Back to search results page

### Search Again?

### <u>Click here for a List of Codes in PDF format</u> Questions? Please contact the <u>Commissioner of the Revenue's Office</u>

•	
Property	//Owner Information
Record Number	2859
<b>Account Number</b>	2811
Tax Map Number	212-1-C- 4-
Physical Address	716 S WASHINGTON ST FFC PROPERTIES LLC
Owner / Mailing Address	17090 QUAIL CREEK CIRCLE
	HAMILTON VA 20158
Acreage	0.2800
<b>Magisterial District</b>	S
Zoning	MR
Bui	lding Description
<b>Dwelling Number</b>	1
Year Built	1865

Dwelling Humber	1
Year Built	1865
Occupancy Code	10
Number of Stories	2.00
Number of Dwelling Units	1
Total Area	2773.8
Foundation Type	12
Exterior Wall	21
Roof Type	30
Roofing Material	41
Number of Rooms	9
<b>Number of Bed Rooms</b>	4
Number of Full Baths	3
Number of 1/2 Baths	1
Number of Fireplaces	0
Number of Flues	0
Type of Heat	32
Type of Fuel	42
A/C	N
Basement Type Code	59
Basement %	0%
Basement Sq. Ft.	0
Finished Basement %	0%
Garage Type	64
Garage (Number of Cars)	2
Carport Type	67
Carport (Number of Cars)	0

### **Assessment Information**

Land Value	140000
Improvement Value	241200
Total Value	381200
Land lise Value	0

### **Transfer Information**

Grantor	KIBLER RICHARD D
Date Sold	05/29/2014

**Selling \$** 230100

**Instrument Number** LR 2014 0001154

Deed Book & Page 0000

### **Land Description**

Description 1	BILL BRUNDIGE MINOR S/D L-1
Water	30
Sewer	40
Gas	Υ
Electric	Υ
Frontage 1	75.83
Depth 1	161.24
Area 1	12213
Frontage 2	0.00
Depth 2	0.00
Area 2	0



### LOWE'S HOME CENTERS, LLC #1602 13720 SMOKETOWN ROAD WOODBRIDGE, VA 22192-4205



USA (703) 586-4000

Project #:

422554627

Description:

Double Hung Windows CCI

Customer Name:

**EDWIN ALVAREZ** 

Customer Phone:

(571) 353-5323

Customer Address:

ABC

WOODBRIDGE, VA 22193

USA

Line Item

Frame Size

Product Code

Description

Unit Price Quantity Total Price

0001	Manufacturer: ThermaStar by Pella (R)				
RO Size = $34 \frac{1}{4}$ " W x 66	34" x 66"				
1/4" H	Product: Windows				
Frame Size = $34$ " W x 66" H	Type: Double Hungs				
	Manufacturer: ThermaStar by Pella (R)	Ť.			
	Energy Star(R) Qualified Products Only: Yes - I would like to				
	view only the units that are qualified for Energy Star (R).				
	Energy Star(R) Zone: North Central				
	Room Location: Other 1				
	Material: Vinyl				
	Frame Type(Overall Width): Replacement Frame (3 1/4"				
	OAW - No Fin)				
(	Sloped Sill Adaptor: Yes - Included				
	Head Expander: No - Not Included				
	Configuration: One Wide				Ì
	Frame Size Width: 34"				
	Frame Size Height: 66"				
	Vent Size: 1/2 Vent				
	Exterior Finish: White				
	Interior Finish: White				
	Glazing: Advanced Low-E				
	Argon Gas Filled IG: Yes - Argon Gas				
	Tempered Glass: Annealed				
	Grilles Between Glass Type: 3/4" Contour				
	Grille Pattern: Standard Colonial				
	Top Sash Lite Pattern: 3W3H		•		İ
	Bottom Sash Lite Pattern: 3W3H				
	Hardware: 2 Cam/Keeper Lock Sets				1
	Hardware Color: White				
	Screen: Half Unit Fiberglass Screen				
	Design Performance: Standard	178215	1		_
		\$254.02	Q	\$2,286.1	2

	***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***			
	This quote is good 10/01/14 to 10/21/14			
02	Manufacturer: ThermaStar by Pella (R)	• • • • • • • • • • • • • • • • • • • •		
Size = $28 \frac{1}{4}$ W x 56	28" x 56"			
₽" H	Product: Windows			
ame Size = 28" W x 56" H	Type: Double Hungs			
	Manufacturer: ThermaStar by Pella (R)			
	Energy Star(R) Qualified Products Only: Yes - I would like to			
	view only the units that are qualified for Energy Star (R).			
	Energy Star(R) Zone: North Central			
	Room Location: Other 1			
	Material: Vinyl			
	Frame Type(Overall Width): Replacement Frame (3 1/4"			
	OAW - No Fin)			
	Sloped Sill Adaptor: Yes - Included			
	Head Expander: No - Not Included			
	Configuration: One Wide			
	Frame Size Width: 28"			
	Frame Size Height: 56"			
	Vent Size: 1/2 Vent			
	Exterior Finish: White			
	Interior Finish: White			
	Glazing: Advanced Low-E			
	Argon Gas Filled IG: Yes - Argon Gas			
	Tempered Glass: Annealed			
	Grilles Between Glass Type: 3/4" Contour			
	Grille Pattern: Standard Colonial			
	Top Sash Lite Pattern: 3W2H			
	Bottom Sash Lite Pattern: 3W2H			
	Hardware: I Cam/Keeper Lock Set			
	Hardware Color: White			
	Screen: Half Unit Fiberglass Screen			
	Design Performance: Standard			
	Will This Product Be Installed By Lowe's (R)?: Not Installed			
	By Lowe's (R)			
	Lead Time: 23			
	M2O Order Type: No			
	***This price reflects a 15% off Promotion on SOS			
	ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to			
	10/21/14***			
	This quote is good 10/01/14 to 10/21/14	\$214.38	10	\$2,143.
)3	Manufacturer: ThermaStar by Pella (R)			7=12-301
	28" x 54"		_	

RO Size = 28 1/4" W x 54	Product: Windows	
1/4" H	Type: Double Hungs	
Frame Size = 28" W x 54" H	Manufacturer: ThermaStar by Pella (R)	
	Energy Star(R) Qualified Products Only: Yes - I would like to	
	view only the units that are qualified for Energy Star (R).	
	Energy Star(R) Zone: North Central	
	Room Location: Other 1	
	Material: Vinyl	
	Frame Type(Overall Width): Replacement Frame (3 1/4"	
	OAW - No Fin)	
	Sloped Sill Adaptor: Yes - Included	
	Head Expander: No - Not Included	
	Configuration: One Wide	
	Frame Size Width: 28"	
	Frame Size Height: 54"	
	Vent Size: 1/2 Vent	
	Exterior Finish: White	
	Interior Finish: White	
	Andrew Market and Control of the Con	
	Glazing: Advanced Low-E	
	Argon Gas Filled IG: Yes - Argon Gas	
	Tempered Glass: Annealed	
	Grilles Between Glass Type: 3/4" Contour	
	Grille Pattern: Standard Colonial	
	Top Sash Lite Pattern: 3W2H	
	Bottom Sash Lite Pattern: 3W2H	
	Hardware: 1 Cam/Keeper Lock Set	
	Hardware Color: White	
	Screen: Half Unit Fiberglass Screen	
	Design Performance: Standard	
	Will This Product Be Installed By Lowe's (R)?: Not Installed	
	By Lowe's (R)	
	Lead Time: 23	
	M2O Order Type: No	
	***This price reflects a 15% off Promotion on SOS	
•	ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to	
	10/21/14***	
	This quote is good 10/01/14 to 10/21/14	
0004	Manufacturer: ThermaStar by Pella (R)	
RO Size = 24 1/4" W x 42 1/4" H	24" x 42"	
Frame Size = 24" W x 42" H	Product: Windows	
Frame Size = 24 W X 42 H	Type: Double Hungs	
	Manufacturer: ThermaStar by Pella (R)	
	Energy Star(R) Qualified Products Only: Yes - I would like to	
	view only the units that are qualified for Energy Star (R).	
	Energy Star(R) Zone: North Central	
	Room Location: Other I	
	Material: Vinyl	
	Frame Type(Overall Width): Replacement Frame (3 1/4"	
2.52	OAW - No Fin)	
	Sloped Sill Adaptor: Yes - Included	
	Head Expander: No - Not Included	
	France Englander. 110 110t Included	

Frame Size Width: 24"
Frame Size Height: 42"
Vent Size: 1/2 Vent
Exterior Finish: White
Interior Finish: White
Glazing: Advanced Low-E

Argon Gas Filled IG: Yes - Argon Gas

Tempered Glass: Annealed

Grilles Between Glass Type: 3/4" Contour

Grille Pattern: Standard Colonial Top Sash Lite Pattern: 2W2H Bottom Sash Lite Pattern: 2W2H Hardware: 1 Cam/Keeper Lock Set

Hardware Color: White

Screen: Half Unit Fiberglass Screen
Design Performance: Standard

Will This Product Be Installed By Lowe's (R)?: Not Installed

By Lowe's (R) Lead Time: 23 M2O Order Type: No

\*\*\*This price reflects a 15% off Promotion on SOS

ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to

10/21/14\*\*\*


This quote is good 10/01/14 to 10/21/14

### 0005

RO Size = 36 1/4" W x 54

1/4" H

Frame Size = 36" W x 54" H



### Manufacturer: ThermaStar by Pella (R)

36" x 54"

Product: Windows
Type: Double Hungs

Manufacturer: ThermaStar by Pella (R)

Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).

Energy Star(R) Zone: North Central

Room Location: Other I

Material: Vinyl

Frame Type(Overall Width): Replacement Frame (3 1/4"

OAW - No Fin)

Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included

Configuration: One Wide Frame Size Width: 36" Frame Size Height: 54" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E

Argon Gas Filled IG: Yes - Argon Gas

Tempered Glass: Annealed

Grilles Between Glass Type: 3/4" Contour

Grille Pattern: Standard Colonial
Top Sash Lite Pattern: 3W2H
Bottom Sash Lite Pattern: 3W2H
Hardware: 2 Cam/Keeper Lock Sets

\$225.79

\$225.79

Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No \*\*\*This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14\*\*\* This quote is good 10/01/14 to 10/21/14 0006 Manufacturer: ThermaStar by Pella (R) RO Size = 32 1/4" W x 5432" x 54" 1/4" H Product: Windows Frame Size = 32" W x 54" H Type: Double Hungs Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 32" Frame Size Height: 54" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: 2 Cam/Keeper Lock Sets Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No \*\*\*This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14\*\*\* This quote is good 10/01/14 to 10/21/14 \$218.18 \$218.18

RO Size = 28 1/4" W x 58	0007	Manufacturer: ThermaStar by Pella (R)	<u> </u>		<del></del>
					ţ
Frame Size = 28" W x 58" H    Tipe: Double Hungs   Manufacture: Thermastar by Pella (R)					
Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Qualified Products Only: Yes - 1 would like to view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central Room Location: Other 1  Material: Vinyl Frame Type(Overall Widih): Replacement Frame (3 1/4" DAW - No Fin)  Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Widih: 28" Frame Size Height: 58" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Tempered Glass: Anneald Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Bardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R) Lead Time: 23  MZO Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/2/1/14 **  This quote is good 10/01/14 to 10/2/1/14  **S218.18  **Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R). Energy Star (R). Energy Star (R) DAW. No Fin)  Stread Sill Advance Yes: I related.	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Energy Star(R) Qualified Products Only: Yes - 1 would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 28" Frame Size Height: 58" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Interior Finish: White Interior Finish: Walte Olazing: Advanced Low-E Argon Gas Filled Ci: Yes - Argon Gas Tempered Glass: Annealed Criles Between Glass Type: 3/4" Contour Crille Pattern: 3042H Bottom Sash Lite Pattern: 3	Traine Size = 28 W X 38 FF	Type. Double Hullgs			1
view only the units that are qualified for Energy Star (R). Energy Star (R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" DAW - No Fin) Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 28" Frame Size Height: 58" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Cotonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: (Cam/Keeper Lock Set Hardware: (Cam/Keeper Lock Set Hardware: Clome: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M20 Order Type: No ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  **Same Size = 34" W x 60" H  Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Qualified Products Only: Yes					
Energy Start(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes - Included Configuration: One Wide Frame Size Width: 28" Frame Size Air W x 60" In Width: 40" Frame Size Air W x 60" Frame Size Air W		_			1
Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 28" Frame Size Height: S8" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Interior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Class Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keeper Lock Set Heardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14*** This quote is good 10/01/14 to 10/21/14  **Sandard Start					ļ
Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 28" Frame Size Width: 28" Frame Size Width: 28" Frame Size Width: 28" Frame Size Width: 8" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled Gi: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grilles Detween Glass Type: 3/4" Contour Grilles Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Kceper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M20 Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18    \$218.18					1
Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 28" Frame Size Width: 28" Frame Size Height: 58" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Camk/Exper Lock Set Hardware: Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14*** This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R) Expers Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified For Energy Star (R). Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified For Energy S		Room Location: Other I			
DAW - No Fin)  Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 28" Frame Size Height: 58" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: 1 Cam/Keeper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M/20 Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14*** This quote is good 10/01/14 to 10/21/14  S218.18  Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - 1 would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloned Sill Adaptors Yes - Insluded		Material: Vinyl			
Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 28" Frame Size Height: 58" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Interior Finish: White Clazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keeper Lock Sct Hardware Colonic White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/2/1/4*** This quote is good 10/01/14 to 10/21/14 \$218.18  Manufacturer: ThermaStar by Pella (R) Solve: 34 1/4" W x 60" H" This Product Be Installed Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star (R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloned Sill Adaptors Ver Installed		Frame Type(Overall Width): Replacement Frame (3 1/4"			
Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 28" Frame Size Height: 58" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: 1 Cam/Keeper Lock Set Hardware: Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  **This quote is good 10/01/14 to 10/21/14  **Sala I \$218.18  **Manufacturer: ThermaStar by Pella (R)  **Therm Size = 34 1/4" W x 60" Har H Frame Size = 34" W x 60" H Amunfacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin)  Stored Sill Advance Ver. Included		OAW - No Fin)			}
Configuration: One Wide Frame Size Width: 28" Frame Size Height: 58" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Interior Finish: White Interior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: 1 Cam/Keeper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No **This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14**  DO08 RO Size = 34 1/4" W x 60 I/4" H Frame Size = 34" W x 60" H  Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloned Sill Advances Ver. Installed		Sloped Sill Adaptor: Yes - Included			
Frame Size Width: 28" Frame Size Height: 58" Vent Size: 12 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: 1 Cam/Keeper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M20 Order Type: No  **This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14*** This quote is good 10/01/14 to 10/21/14  **This quote is good 10/01/14 to 10/		Head Expander: No - Not Included			ĺ
Frame Size Width: 28" Frame Size Height: 58" Vent Size: 12 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: 1 Cam/Keeper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M20 Order Type: No  **This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14*** This quote is good 10/01/14 to 10/21/14  **This quote is good 10/01/14 to 10/	1	Configuration: One Wide			{
Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IC: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Fattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keoper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14**  This quote is good 10/01/14 to 10/21/14  **This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14**  This quote is good 10/01/14 to 10/21/14  **S218.18  **Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - 1 would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - 1 would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin)  Start Sta					
Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IC: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Fattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keoper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14**  This quote is good 10/01/14 to 10/21/14  **This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14**  This quote is good 10/01/14 to 10/21/14  **S218.18  **Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - 1 would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - 1 would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin)  Start Sta	İ	Frame Size Height: 58"			
Interior Finish: White  Glazing: Advanced Low-E  Argon Gas Filled IG: Yes - Argon Gas  Tempered Glass: Annealed  Grilles Between Glass Type: 3/4" Contour  Grille Pattern: Standard Colonial  Top Sash Lite Pattern: 3W2H  Bottom Sash Lite Pattern: 3W2H  Hardware: I Cam/Keeper Lock Set  Hardware Color: White  Screen: Half Unit Fiberglass Screen  Design Performance: Standard  Will This Product Be Installed By Lowe's (R)?: Not Installed  By Lowe's (R)  Lead Time: 23  M20 Order Type: No  ***This price reflects a 15% off Promotion on SOS  ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to  10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Windows  Type: Double Hungs  Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Zone: North Central  Room Location: Other 1  Material: Vinyl  Frame Type(Overall Width): Replacement Frame (3 1/4*  OAW - No Fin)  Stored Still Advance Yes. Included					
Interior Finish: White  Glazing: Advanced Low-E  Argon Gas Filled IG: Yes - Argon Gas  Tempered Glass: Annealed  Grilles Between Glass Type: 3/4" Contour  Grille Pattern: Standard Colonial  Top Sash Lite Pattern: 3W2H  Bottom Sash Lite Pattern: 3W2H  Hardware: I Cam/Keeper Lock Set  Hardware Color: White  Screen: Half Unit Fiberglass Screen  Design Performance: Standard  Will This Product Be Installed By Lowe's (R)?: Not Installed  By Lowe's (R)  Lead Time: 23  M20 Order Type: No  ***This price reflects a 15% off Promotion on SOS  ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to  10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Windows  Type: Double Hungs  Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Zone: North Central  Room Location: Other 1  Material: Vinyl  Frame Type(Overall Width): Replacement Frame (3 1/4*  OAW - No Fin)  Stored Still Advance Yes. Included	İ				
Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keeper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  S218.18  Manufacturer: ThermaStar by Pella (R) Bray Star (R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Singed Sill Adaptors Yes Josepheled					ŀ
Argon Gas Filled IG: Ycs - Argon Gus Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: 1 Cam/Keeper Lock Sct Hardware: Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M20 Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Deors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  Bottom Star W x 60" H  Arame Size = 34" W x 60" H  Frame Size = 34" W x 60" H  Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Started Starter Ver. Included					ì
Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keeper Lock Set Hardware: I Cam/Keeper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14 \$218.18  Manufacturer: ThermaStar by Pella (R)  34" x 60" Product: Windows Type: Double Hungs Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other I Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Start Still Adapters Vers Legitated					
Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keeper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermasStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  Manufacturer: ThermaStar by Pella (R)  ### H Product: Windows Type: Double Hungs Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other I Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin)  Standard Will Admitsor. Yes Linebuded					1
Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keeper Lock Set Hardware: Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  34" x 60" Product: Windows Type: Double Hungs Manufacturer: ThermaStar by Pella (R) Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Standard Colonial Sweet Standard Sweet Standard Sweet Standard Sweet Standard Sweet Standard Sweet Standard Sweet Standard Sweet Standard Sweet Standard Sweet Standard Sweet Standard Sweet		1			1
Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keeper Lock Set Hardware: I Cam/Keeper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  34" x 60" Product: Windows Type: Double Hungs Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Stored Sill Adence Ver. Included					1
Bottom Sash Lite Pattern: 3W2H Hardware: I Cam/Keeper Lock Set Hardware: Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18    \$218.18   \$		1			i
Hardware: I Cam/Keeper Lock Set Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M20 Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  34" x 60" 1/4" H  Frame Size = 34" W x 60" H  Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Stored Sill Advator Var. Included		· ·			
Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  Manufacturer: ThermaStar by Pella (R)  34" x 60" Product: Windows Type: Double Hungs Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Stored Still Adaptors Yes Included					ŀ
Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M20 Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  34" x 60" Product: Windows Type: Double Hungs Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Stored Still Adaptor: Yes Included					1
Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  ***This quote is good 10/01/14 to 10/21/14  ***This quote is good 10/01/14 to 10/21/14  ***This quote is good 10/01/14 to 10/21/14  \$218.18  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R)  ***This quote is good 10/01/14 to 10/21/14  ***This quote is good 10/01/14 to 10/21/14  ***This quote is good 10/01/14 to 10/21/14  ***This quote is good 10/01/14 to 10/21/14  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R)  ***This quote is good 10/01/14 to 10/21/14  ***This quote is good 10/01/14 to 10					
Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18    \$218.18   \$218.18     \$218.18		1			
By Lowe's (R) Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18    \$218.18   \$218.18     \$		1 7			İ
Lead Time: 23 M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18  Manufacturer: ThermaStar by Pella (R)  34" x 60"  Product: Windows Type: Double Hungs Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin)  Sloned Sill Admitor: Yes, Included					j
M2O Order Type: No  ***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18    \$218.18   \$218.18    \$21					
***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14  \$218.18    \$218.18   \$					Į
ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14 \$218.18   \$21		M2O Order Type: No			
ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***  This quote is good 10/01/14 to 10/21/14 \$218.18   \$21		***This price reflects a 15% off Promotion on SOS			į
This quote is good 10/01/14 to 10/21/14  \$218.18    \$218.18   \$218.18    \$218.18   \$218.18   \$218.18    \$0008  RO Size = 34 1/4" W x 60   34" x 60"   Product: Windows   Type: Double Hungs   Manufacturer: ThermaStar by Pella (R)   Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).   Energy Star(R) Zone: North Central   Room Location: Other 1   Material: Vinyl   Frame Type(Overall Width): Replacement Frame (3 1/4"   OAW - No Fin)   Stored Sill Adentor, Yes, Included					1
This quote is good 10/01/14 to 10/21/14  \$218.18    \$218.18   \$218					
Manufacturer: ThermaStar by Pella (R)  34" x 60"  Product: Windows  Type: Double Hungs  Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central  Room Location: Other 1  Material: Vinyl  Frame Type(Overall Width): Replacement Frame (3 1/4"  OAW - No Fin)  Sloned Sill Admicer Vas. Included		10/2/14			
Manufacturer: ThermaStar by Pella (R)  34" x 60"  1/4" H  Product: Windows  Type: Double Hungs  Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central  Room Location: Other 1  Material: Vinyl  Frame Type(Overall Width): Replacement Frame (3 1/4"  OAW - No Fin)  Sloned Sill Admicer Vas. Included		This quote is good 10/01/14 to 10/21/14	\$218,18	1 -	\$218.18
RO Size = 34 1/4" W x 60  34" x 60"  Product: Windows  Type: Double Hungs  Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central Room Location: Other 1  Material: Vinyl  Frame Type(Overall Width): Replacement Frame (3 1/4"  OAW - No Fin)  Sloped Sill Adoptor: Yes Included	0008	Manufacturer: ThermaStar by Pella (R)		<u> </u>	V
Product: Windows Type: Double Hungs  Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central  Room Location: Other 1  Material: Vinyl  Frame Type(Overall Width): Replacement Frame (3 1/4"  OAW - No Fin)  Sloped Sill Adaptor: Yes Included	RO Size = $34 \frac{1}{4}$ W x 60				Į.
Frame Size = 34" W x 60" H  Type: Double Hungs  Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central  Room Location: Other 1  Material: Vinyl  Frame Type(Overall Width): Replacement Frame (3 1/4"  OAW - No Fin)  Sloped Sill Adaptor: Yes I polyded	(1/4" H	;			1
Manufacturer: ThermaStar by Pella (R)  Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central  Room Location: Other 1  Material: Vinyl  Frame Type(Overall Width): Replacement Frame (3 1/4"  OAW - No Fin)  Sloped Sill Adaptor: Yes Included	Frame Size = 34" W x 60" H				
Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes Included		1			
view only the units that are qualified for Energy Star (R).  Energy Star(R) Zone: North Central  Room Location: Other 1  Material: Vinyl  Frame Type(Overall Width): Replacement Frame (3 1/4"  OAW - No Fin)  Sloped Sill Adaptor: Vas. Included					ì
Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Vas. Included					
Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Vas. Included					
Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Vas. Included		1 /			
Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Vas. Included		1			1
OAW - No Fin) Sloped Sill Adaptor: Vas. Included		1 7			
Sloped Sill Adaptor: Vas. Included					
\$233.40 1 \$233.40	الــــــــــــــــــــــــــــــــــــ	1		-	
	1	property of the mended	\$233.40	1	\$233.40

Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 34" Frame Size Height: 60" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: 2 Cam/Keeper Lock Sets Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M20 Order Type: No \*\*\*This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14\*\*\* This quote is good 10/01/14 to 10/21/14 Manufacturer: ThermaStar by Pella (R) RO Size =  $32 \frac{1}{4}$  W x 44 32" x 44" Product: Windows Frame Size = 32" W x 44" H Type: Double Hungs Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other I Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 32" Frame Size Height: 44" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H \$199.16 \$199.16

0009

1/4" H

Bottom Sash Lite Pattern: 3W2H Hardware: 2 Cam/Keeper Lock Sets Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M20 Order Type: No \*\*\*This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14\*\*\* This quote is good 10/01/14 to 10/21/14 0010 Manufacturer: ThermaStar by Pella (R) RO Size =  $32 \frac{1}{4}$ " W x 60 32" x 60" 1/4" H Product: Windows Frame Size = 32" W x 60" H Type: Double Hungs Manufacturer: ThermaStar by Pella (R) Energy Star(R) Qualified Products Only: Yes - I would like to view only the units that are qualified for Energy Star (R). Energy Star(R) Zone: North Central Room Location: Other 1 Material: Vinyl Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included Configuration: One Wide Frame Size Width: 32" Frame Size Height: 60" Vent Size: 1/2 Vent Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H Hardware: 2 Cam/Keeper Lock Sets Hardware Color: White Screen: Half Unit Fiberglass Screen Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R) Lead Time: 23 M2O Order Type: No \*\*\*This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14\*\*\* \$229.59 \$229.59


	This quote is good 10/01/14 to 10/21/14			
0011	Manufacturer: ThermaStar by Pella (R)			
RO Size = $21 \frac{1}{4}$ W x 48	21" x 48"			
1/4" H	Product: Windows			
Frame Size = $21$ " W x 48" H				
	Manufacturer: ThermaStar by Pella (R)			
	Energy Star(R) Qualified Products Only: Yes - I would like to			
	view only the units that are qualified for Energy Star (R).			
	Energy Star(R) Zone: North Central	•		
	Room Location: Other 1			
	Material: Vinyl			
	Frame Type(Overall Width): Replacement Frame (3 1/4"			
	OAW - No Fin)			
	Sloped Sill Adaptor: Yes - Included			
	Head Expander: No - Not Included			
	Configuration: One Wide			
	Frame Size Width: 21"			
	Frame Size Height: 48"			
	Vent Size: 1/2 Vent			
	Exterior Finish: White			
	Interior Finish: White			
	Glazing: Advanced Low-E			
	Argon Gas Filled IG: Yes - Argon Gas			
	Tempered Glass: Annealed			
	Grilles Between Glass Type: 3/4" Contour			
	Grille Pattern: Standard Colonial			
	Top Sash Lite Pattern: 2W2H			
	Bottom Sash Lite Pattern: 2W2H			
	Hardware: 1 Cam/Keeper Lock Set			
	Hardware Color: White			
	Screen: Half Unit Fiberglass Screen			
	Design Performance: Standard			
	Will This Product Be Installed By Lowe's (R)?: Not Installed			
	By Lowe's (R)			
	Lead Time: 23			
	M2O Order Type: No			
	1			
	***This price reflects a 15% off Promotion on SOS			
	ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to			
	10/21/14***			
	This quote is good 10/01/14 to 10/21/14	\$185.84	. –	\$185.84
0012	Manufacturer: ThermaStar by Pella (R)	Ψ103.04		<b>\$103.04</b>
RO Size = 32 1/4" W x 36				
1/4" H	32" x 36"			
Frame Size = 32" W x 36" H	Product: Windows			
	Type: Double Hungs Manufacturer: Thomas Star by Pally (P)			1
	Manufacturer: ThermaStar by Pella (R)			
	Energy Star(R) Qualified Products Only: Yes - I would like to			
	view only the units that are qualified for Energy Star (R).			
	Energy Star(R) Zone: North Central Room Location: Other I			
	1			1
	Material: Vinyl	\$183.94	2	\$367.88
	•	φ100.74	4	φ301.00

Frame Type(Overall Width): Replacement Frame (3 1/4" OAW - No Fin) Sloped Sill Adaptor: Yes - Included Head Expander: No - Not Included	
Configuration: One Wide Frame Size Width: 32" Frame Size Height: 36" Vent Size: 1/2 Vent	
Exterior Finish: White Interior Finish: White Glazing: Advanced Low-E	
Argon Gas Filled IG: Yes - Argon Gas Tempered Glass: Annealed Grilles Between Glass Type: 3/4" Contour	
Grille Pattern: Standard Colonial Top Sash Lite Pattern: 3W2H Bottom Sash Lite Pattern: 3W2H	
Hardware: 2 Cam/Keeper Lock Sets Hardware Color: White Screen: Half Unit Fiberglass Screen	
Design Performance: Standard Will This Product Be Installed By Lowe's (R)?: Not Installed By Lowe's (R)	
Lead Time: 23 M2O Order Type: No	
***This price reflects a 15% off Promotion on SOS ThermaStar by Pella (R) Windows & Patio Doors - 10/01/14 to 10/21/14***	
This quote is good 10/01/14 to 10/21/14	

Salesperson:	CHRISTOPH CAREY (S1602CC1)	Project Total:	\$7,751.56
Accepted by:		Date: 10/01/2014	
		Print thi	s Page


This Millwork Quote is valid until 10/7/2014. This is an estimate only. This estimate does not include tax or delivery charges. Delivery of all materials contained in this estimate are subject to availability from the manufacturer or supplier. All the above quantities, dimensions, specifications and accessories have been verified and accepted.














































413 N Kent N ETH






































**Rouss City Hall** 15 North Cameron Street Winchester, VA 22601

Telephone:

FAX:

(540) 667-1815 (540) 722-3618


TDD:

(540) 722-0782 Web: www.winchesterva.gov

## **APPLICATION** ROARD OF ADCUITECTURAL DEVIEW

	CERTIFICATE OF APP	PROPRIATENESS
Please print or type all information:		JOHN PND SETH ELGIN
540-550-6668		SERVINESE OF BY U. SO IV
Telephone		446 N. ISIADIOCIK ST Street Address
mikeeloin avanizan	not	
Telephone  Mikeelgin @ Venizon net  E-mail address		W/NCHESTER , VA 2260/ City / State / Zip
		ord / state / Exp
		ELIZARETH DEPROSPERO ELGIN
Property Owner's Signature		Property Owner (Name as appears in Land Records)
S40-723-0755  Telephone  mikeelgin & Verizon net  E-mail address		446 N. BRADDOCK ST
Telephone		Street Address
mikee gine verizon	net	WINCHESTER INA 12601
E-mail address		WINCHESTER, VA 2260/ City / State / Zip
YPE OF REQUEST  ☐ Demolition	☐ Sign (specify type) and #	Exterior Change
☐ New Construction	☐ Freestanding	☐ Siding
Addition	□ Wali	<b>E</b> Roofing
☐ Fence/Wall	☐ Projecting	□ Windows/Doors
CONCEPTUAL REVIEW ONLY	☐ Other sign (specify)	W Paint
□ Other (specify)		
***SEE REVERSI	FOR MATERIALS TO	INCLUDE WITH APPLICATION***
OR OFFICE USE ONLY		
BAR Review OR Administra earing Date(s) 12/18/14	tive Review per Section 14-5	
earing Date(s) 12/18/14 <sup>2</sup>	1/15/15	
		PROVED TABLED WITHDRAWN
ONDITIONS NOTED:		
GNATURE:		DATE
	d of Architectural Review	DATE:

(form updated 2/3/14)



## Side Porch for 446 North Braddock Street

Application for side porch addition similar to front porch.

8 inch Fluted Wood Columns painted white to match front porch. Black standing seam metal hip roof.
Wood railing painted white similar to front porch railings.
Floor painted Blue Gray Sky to match front porch floor color.

Paint front porch roof black to match new side porch roof color.







References:

Address:

Material: Stone





## 446 North Braddock Street

Tax Map Number: 173-1-1-19-

DHR Resource Number: 138-0042-0125 Resources: 1 single dwelling; 1 garage; 1 shed

Date/Period: ca. 1925 Style: Colonial Revival

Sources: Sanborn Fire Insurance Company Maps; Quarles, The Story of

One Hundred Old Homes

## **Architectural Description**



Secondary Resource Summary: A garage and a shed are located in the rear of the backyard.

**Primary Resource Description:** This two-story, two-bay Colonial Revival-style building has an American four-square form. Constructed ca. 1925, this single-family dwelling is set on a solid foundation with a scored parged exterior. Stretcher-bond brickwork dresses this masonry structure, which is capped by an asphalt-shingled hipped roof. Overhanging eaves, a staple of the form, are finished with ogee bed molding. An interior brick chimney pierces the northern slope of the roof. A dormer is located on the western slope, which faces the street. Clad in asphalt shingles and with overhanging eaves, this half-hipped dormer is fenestrated with a ribbon of three 1/1, double-hung, vinyl-sash windows set in a square-edge wood surround.

Located in the northern bay of the façade (west elevation), the main entry holds a single-leaf, paneled wood door flanked by five-light sidelights. A five-light transom tops the opening, which is set beneath a soldier brick segmental arch. Flanking the door opening to the south is a tripartite window. All window openings contain 1/1, double-hung sash with concrete sills and soldier brick segmental arches. The second story has three window openings. A one-story, full-width porch shelters the first story of the façade. Set on a concrete pier foundation infilled with lattice, the half-hipped porch has an asphalt shingle roof. Fluted Tuscan columns support the roof and are accompanied by turned wood balusters. The porch has a wood deck.

Fenestration of the north and south (side) elevations includes single-light, wood-sash awning basement windows. These narrow openings abut the top of the parged foundation. First- and second-story window openings, containing 1/1, double-hung sash are juxtaposed by a window opening set between stories.

A feature of this building shared with many on the block is the two-story, integral rear porch. In this instance, the porch has been enclosed with Hardieplank and laced with 1/1, double-hung, wood-sash windows. A single-leaf paneled wood door provides access to the south (side) elevation via concrete steps. The brick pier of the porch has been infilled with wood planks. The northern bay of the rear elevation is not part of the integral porch and has the same masonry construction and finish as the rest of the exterior.

**Secondary Resource Description:** Located at the rear of the property, fronting a small gravel parking pad, is a one-story, one-bay garage. Based on its form, materials, and Sanborn Fire Insurance Company maps, this building appears to have been constructed ca. 1925. Set on a solid parged foundation, this masonry structure has stretcher-bond brickwork and an asphalt-shingled hipped roof. Overhanging eaves complete the roofline. The east elevation, which faces the alley, has a wide, double-leaf paneled wood door with lights set beneath a heavy wood lintel. The north and south (side) elevations are pierced by 6/6, double-hung, wood-sash windows with rowlock brick sills and flat arches. A single-leaf, paneled wood door with four lights is located on the west elevation.

**Secondary Resource Description:** This one-story, one-bay prefabricated shed, based on its form and materials, appears to have been constructed ca. 2000. The wood-frame structure is clad in T1-11 vertical siding and capped by a side-gabled roof of asphalt shingles. The façade (south elevation) holds a double-leaf, paneled wood door with strap hinges.

Significance Statement: This single-family dwelling, designed in the Colonial Revival style with a American four-square form, is indicative of the domestic architecture constructed along North Braddock Street in the City of Winchester during the first part of the twentieth century. Judging by the form and materials of the dwelling, as well as by using Sanborn Fire Insurance maps, this dwelling can be given a circa 1925 date of construction. This single dwelling retains integrity of materials, workmanship, and design. Further, this dwelling retains integrity of location and setting. All of these aspects contribute to integrity of feeling and association. This single dwelling is a contributing resource to the Winchester Historic District under Criteria A and C.









Rouss City Hall 15 North Cameron Street Winchester, VA 22601

Telephone:

(540) 667-1815

FAX: TDD: (540) 722-3618 (540) 722-0782

Website: www.winchesterva.gov

December 18, 2014

John and Beth Elgin 446 N. Braddock Street Winchester, VA 22601

Dear Mr. and Mrs. Elgin:

On Thursday, December 18, 2014, the Board of Architectural Review acted on the following request:

**BAR-14-758** Request of John and Beth Elgin for a Certificate of Appropriateness to build a side porch addition at 446 North Braddock Street.

On a vote of 3-0, the Board voted to table the request until the January 15, 2015 meeting.

Please do not hesitate to contact me should you have any questions at 667-1815, ext. 1413.

Sincerely yours,

Joshua K. Crump

Planner I